MURDER DRONES

DRONEPHOBIA

Estágios da infecção (1-4)

Stages of infection (1-4)

PT/BR

Estágio 1
8 Horas

- Irritabilidade
- Cansaço extremo



Local infectado (Injetado)

- Superaquecimento no sistema


Estágio 2
20 horas
- Paranóia
- Confusão mental
Local infectado
Os dentes crescem
- O maior medo do infectado começa a tomar conta de seu corpo

Estágio 3
38 horas

- Fome e Cansaço
- Pode cometer canibalismo (chance de 90%)

A mordida já pode transmitir o vírus para a vítima

O afetado se torna o que ele mais temia

Estágio 4
3 semanas

- O cansaço é substituído pela hiperatividade
- Sente dores constantes

Se torna mais resistente ao seu ponto fraco, mas não imune

Chance de grandes alterações físicas (50% de chance)

ENG

Stage 1
8 hours

- Irritability
- Extreme tiredness



Infected region (injected)

- Overheated system


Stage 2
20 hours
- Paranoia
- Mental confusion
Infected region
Teeth grow
- The biggest fear of
infected begins to
take care of your body

Stage 3
38 hours
- Hunger and Fatigue
- May commit cannibalism
(90% chance)
The bite can now transmit
the virus to the victim
The affected drone becomes the
what he feared most


Stage 4
3 weeks
- Fatigue is replaced by hyperactivity
- Feel constant pain
Becomes more resistant to your weak point, but not immune
Big chance physical changes (50% chance)